10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Bovine IgM mu chain Secondary Antibody

Rabbit Polyclonal, Unconjugated
Catalog # ASR2903

Specification

Anti-Bovine IgM mu chain Secondary Antibody - Product Information

Description	**Anti-BOVINE IgM mu chain (RABBIT) Antibody**
Host	**Rabbit**
Conjugate	**Unconjugated**
Target Species	**Bovine**
Clonality	**Polyclonal**
Application	**,1,10,15,**
Application Note	**ELISA 1:20,000-1:100,000;Western Blot 1:2,000-1:10,000;Immunochemistry 1:1,000-1:5,000**
Physical State	**Lyophilized**
Host Isotype	**IgG**
Target Isotype	**IgM µ chain**
Buffer	**0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2**
Immunogen	**Bovine IgM mu heavy chain**
Reconstitution Volume	**5.0 mL**
Reconstitution Buffer	**Restore with deionized water (or equivalent)**
Stabilizer	**None**
Preservative	**0.01% (w/v) Sodium Azide**

Anti-Bovine IgM mu chain Secondary Antibody - Additional Information

Shipping Condition
Ambient

Purity
This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Bovine IgM and Bovine Serum. No reaction was observed against Bovine IgG.

Storage Condition
Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note
This product is for research use only and is not intended for therapeutic or diagnostic applications.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Bovine IgM mu chain Secondary Antibody - Protein Information

Anti-Bovine IgM mu chain Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Bovine IgM mu chain Secondary Antibody - Images