


**Anti-Armenian Hamster IgG (H&L) (Fluorescein Conjugated) Secondary Antibody**  
Goat Polyclonal, Fluorescein (FITC)  
Catalog # ASR1960

**Specification**

**Anti-Armenian Hamster IgG (H&L)  
(Fluorescein Conjugated) Secondary Antibody  
- Product Information**

Description	<b>Anti-ARMENIAN HAMSTER IgG (H&amp;L) (GOAT) Antibody Fluorescein Conjugated</b>
Host Conjugate FP Value	<b>Goat Fluorescein (FITC) 2.8 moles Fluorescein (FITC) per mole of IgG</b>
Target Species	<b>Armenian Hamster</b>
Reactivity Clonality Application Application Note	<b>Hamster Polyclonal ,3,4, FLISA 1:10,000-1:5 0,000;IF Microscopy 1:1,00 0-1:5,000;FlowCyt ometry 1:500-1:2,500;</b>
Physical State Host Isotype Target Isotype Buffer	<b>Lyophilized IgG IgG (H&amp;L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2</b>
Immunogen	<b>Armenian Hamster IgG whole molecule</b>
Reconstitution Volume Reconstitution Buffer	<b>1.0 mL Restore with deionized water (or equivalent)</b>
Stabilizer	<b>10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free</b>
Preservative	<b>0.01% (w/v) Sodium Azide</b>



**Anti-Armenian Hamster IgG (H&L)  
(Fluorescein Conjugated) Secondary  
Antibody - Background**

FITC Anti-Hamster IgG Secondary Antibody is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

**Anti-Armenian Hamster IgG (H&L)  
(Fluorescein Conjugated) Secondary Antibody  
- Additional Information**

**Shipping Condition**  
Ambient

**Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Armenian Hamster IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Armenian Hamster IgG and Armenian Hamster Serum. Minimal reactivity will occur against Golden Syrian Hamster IgG.

**Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

**Anti-Armenian Hamster IgG (H&L)  
(Fluorescein Conjugated) Secondary Antibody  
- Protein Information****Anti-Armenian Hamster IgG (H&L)  
(Fluorescein Conjugated) Secondary  
Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)